

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 12/14/2016 Supersedes:09/04/2015 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

: Mixture Product form

Trade name : PETRA BRAKE CLEANER 15 OZ.

Product code : PETRA6003

Other means of identification : Not for sale or use in California or New Jersey.

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Brake Cleaner

Details of the supplier of the safety data sheet 1.3.

Petra Oil Company 11085 Regency Green Drive Cypress, TX 77429 T 713-856-5700

Emergency telephone number

Emergency number : CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Compressed gas H280 Acute Tox. 4 (Inhalation) H332 Acute Tox. 4 (Inhalation:gas) H332 Eye Irrit. 2B H320 Carc. 1B H350 Full text of H statements : see section 16

Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS04 GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated

H320 - Causes eye irritation H332 - Harmful if inhaled H350 - May cause cancer

Precautionary statements (GHS-US) : P201 - Obtain special instructions

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust,fume,gas,mist,vapor spray P264 - Wash affected areas thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves, protective clothing, eye protection, face protection P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 - If exposed or concerned: Get medical advice/attention P312 - Call a POISON CONTROL CENTER, doctor, if you feel unwell. P337+P313 - If eye irritation persists: Get medical advice/attention

P405 - Store locked up

P410+P403 - Protect from sunlight. Store in a well-ventilated place

P501 - Dispose of contents/container to appropriate waste disposal facility, in accordance with

local, regional, national, international regulations.

2.3. Other hazards

Other hazards not contributing to the classification

: Contains gas under pressure; may explode if heated. None under normal conditions.

Unknown acute toxicity (GHS US) 2.4.

No data available

14/12/2016 EN (English US) 1/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

Substance

Not applicable

3.2. **Mixture**

Name	Product identifier	%	GHS-US classification
Tetrachloroethylene	(CAS No) 127-18-4	>= 95	Carc. 1B, H350 Aquatic Chronic 2, H411
Carbon Dioxide, Liquefied, Under Pressure	(CAS No) 124-38-9	1 - 5	Compressed gas, H280

The exact percentage is a trade secret.

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible). Suspected of causing cancer.

Allow victim to breathe fresh air. Allow the victim to rest. Remove victim to fresh air and keep at First-aid measures after inhalation

rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause cancer.

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

Symptoms/injuries after skin contact : May cause slight irritation . Itching. Skin rash/inflammation. Red skin.

Symptoms/injuries after eye contact : Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue.

Causes eye irritation.

: May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways. Symptoms/injuries after ingestion

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Advice for firefighters 5.3.

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : NFPA Aerosol Level 1.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders 6.1.2.

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

14/12/2016 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill. Contain released substance, pump into suitable containers. Plug the

leak, cut off the supply.

Methods for cleaning up : Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing

dust,fume,gas,mist,vapor spray. Obtain special instructions . Do not handle until all safety

precautions have been read and understood.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Always wash hands after handling the product. Remove contaminated clothes. Separate working

clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with

applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products: Strong bases. Strong acids.Incompatible materials: Sources of ignition. Direct sunlight.Storage area: Store in a well-ventilated place.

7.3. Specific end use(s)

Follow Label Directions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Tetrachloroethylene (127-18-4)			
USA ACGIH	ACGIH TWA (mg/m³)	170 mg/m³	
USA ACGIH	ACGIH TWA (ppm)	25 ppm (Tetrachloroethylene (Perchloroethylene); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)	
USA ACGIH	ACGIH STEL (mg/m³)	685 mg/m³	
USA ACGIH	ACGIH STEL (ppm)	100 ppm	
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm	
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm	

Carbon Dioxide, Liquefied, Under Pressure (124-38-9)			
USA ACGIH	ACGIH TWA (mg/m³)	9000 mg/m³	
USA ACGIH	ACGIH TWA (ppm)	5000 ppm (Carbon dioxide; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)	
USA ACGIH	ACGIH STEL (mg/m³)	54000	
USA ACGIH	ACGIH STEL (ppm)	30000 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m³)	9000 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	5000 ppm	

8.2. Exposure controls

Appropriate engineering controls : Local exhaust venilation, vent hoods . Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

14/12/2016 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Consumer exposure controls : Avoid contact during pregnancy/while nursing.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas
Appearance : Liquid.
Molecular mass : 165.83 g/mol
Color : Colourless.

Odor : Sweet odour. Ether-like odour.

Odor threshold : 2.0 - 71 ppm
pH : 6.8 - 8.4
Relative evaporation rate (butyl acetate=1) : 2
Relative evaporation rate (ether=1) : 8
Melting point : -22 °C

Freezing point : No data available

Boiling point : 121 °C
Flash point : None
Critical temperature : 347 °C

Auto-ignition temperature : No data available

Decomposition temperature : > 150 °C

Flammability (solid, gas) : No data available
Vapor pressure : 19 hPa (20 °C)
Vapor pressure at 50 °C : 82 hPa (50 °C)

Relative vapor density at 20 °C : 5.8
Relative density : 1.62
Relative density of saturated gas/air mixture : 1.1

Specific gravity / density : 1623 kg/m³

Solubility : Insoluble in water. Substance sinks in water. Soluble in ethanol. Soluble in ether. Soluble in

acetone. Soluble in chloroform. Soluble in tetrachloromethane. Soluble in hexane. Soluble in

oils/fats.

Water: 0.015 g/100ml Ethanol: soluble Ether: soluble Acetone: > 10 g/100ml

Log Pow : 3.40 (Experimental value; 2.53; Experimental value; Equivalent or similar to OECD 107; 23 °C)

Log Kow : No data available
Viscosity, kinematic : 0.555 mm²/s (20 °C)
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

Saturation concentration : 127 g/m³

VOC content : > 95 % VOC Exempt
Gas group : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

14/12/2016 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: Harmful if inhaled. Inhalation:gas: Harmful if inhaled.

PETRA BRAKE CLEANER 15 OZ.	
LD50 oral rat	3835 mg/kg body weight
LD50 dermal rabbit	> 3000 mg/kg (Rabbit; Literature study; >10000 mg/kg bodyweight; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	27.58 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	5200 ppm/4h (Rat; Experimental value)
Tetrachloroethylene (127-18-4)	
LD50 oral rat	2629 mg/kg
LD50 dermal rabbit	> 3000 mg/kg (Rabbit; Literature study; >10000 mg/kg bodyweight; Rabbit; Experimental value)
LC50 inhalation rat (ppm)	3786 ppm/4h
Skin corrosion/irritation	: Not classified
	pH: 6.8 - 8.4
Serious eye damage/irritation	: Causes eye irritation.
	pH: 6.8 - 8.4
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if inhaled.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/injuries after skin contact	: May cause slight irritation . Itching. Skin rash/inflammation. Red skin.
Symptoms/injuries after eye contact	: Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue. Causes eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

SECTION 12: Ecological Information	
12.1. Toxicity	
Ecology - general	: Dangerous for the environment.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006). TA-Luft Klasse 5.2.5/I.
PETRA BRAKE CLEANER 15 OZ.	
EC50 Daphnia 1	8.5 mg/l (EC50; ASTM; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Tetrachloroethylene (127-18-4)	
EC50 Daphnia 1	8.5 mg/l (EC50; ASTM; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 2	3.64 mg/l (EC50; Other; 72 h; Chlamydomonas angulosa; Fresh water)
Carbon Dioxide, Liquefied, Under Pressure (1	24-38-9)
LC50 fish 1	35 mg/l (LC50; 96 h; Salmo gairdneri)
12.2. Persistence and degradability	
PETRA BRAKE CLEANER 15 OZ.	
Persistence and degradability	Not readily biodegradable in water. Low potential for adsorption in soil.

14/12/2016 EN (English US) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PETRA BRAKE CLEANER 15 OZ.	
Biochemical oxygen demand (BOD)	0.06 g O ₂ /g substance
ThOD	0.39 g O ₂ /g substance
BOD (% of ThOD)	0.15
Tetrachloroethylene (127-18-4)	
Persistence and degradability	Not readily biodegradable in water. Low potential for adsorption in soil.
Biochemical oxygen demand (BOD)	0.06 g O ₂ /g substance
ThOD	0.39 g O ₂ /g substance
BOD (% of ThOD)	0.15
Carbon Dioxide, Liquefied, Under Pressi	ure (124-38-9)
Persistence and degradability	Biodegradability: not applicable. Not applicable (gas).
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
PETRA BRAKE CLEANER 15 OZ.	
BCF fish 2	25.8 - 77.1 (BCF; 8 weeks)
Log Pow	3.40 (Experimental value; 2.53; Experimental value; Equivalent or similar to OECD 107; 23 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Tetrachloroethylene (127-18-4)	
BCF fish 2	25.8 - 77.1 (BCF; 8 weeks)
Log Pow	3.40 (Experimental value; 2.53; Experimental value; Equivalent or similar to OECD 107; 23 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Carbon Dioxide, Liquefied, Under Pressi	ure (124-38-9)
Log Pow	0.83 (Experimental value)
Bioaccumulative potential	Bioaccumulation: not applicable.
12.4. Mobility in soil	
PETRA BRAKE CLEANER 15 OZ.	
Surface tension	0.0313 N/m (20 °C)
Log Koc	Koc,141; Experimental value; log Koc; 2.15; Experimental value
Tetrachloroethylene (127-18-4)	
Surface tension	0.0313 N/m (20 °C)
Log Koc	Koc,141; Experimental value; log Koc; 2.15; Experimental value
12.5. Other adverse effects	
Other information	: Avoid release to the environment.
Other information	. Avoid release to the environment.
SECTION 13: Disposal considerat	ions

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to appropriate waste disposal facility, in accordance with local, regional,

national, international regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

US DOT (ground): UN1950, Aerosols, Non-flammable, Poison, 2.2, III, Limited Quantity ICAO/IATA (air): UN1950, Aerosols, Non-flammable, Poison, 2.2 (6.1), III, Limited Quantity

IMO/IMDG (water): UN1950, Aerosols, Non-flammable, Marine Pollutant, 2.2 (6.1 Tetrachloroethylene (Perchloroethylene)), III

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Aerosols, Non-flammable, Poison

Poison, (each not exceeding 1 L capacity)

Class (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115


14/12/2016 EN (English US) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 2.2 - Non-flammable gas

6.1 - Poison



Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : None
DOT Packaging Bulk (49 CFR 173.xxx) : None
Marine pollutant : Yes

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel

DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Subsidiary risks (IMDG) : 6.1 Tetrachloroethylene (Perchloroethylene)

Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : Forbidden

CFR 175.75)

Subsidiary risk (IATA) : 6.1

SECTION 15: Regulatory information

15.1. US Federal regulations

PETRA BRAKE CLEANER 15 OZ.	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Delayed (chronic) health hazard
	Sudden release of pressure hazard

Tetrachloroethylene (127-18-4)	
Listed on the United States SARA Section 302 Subject to reporting requirements of United State	s SARA Section 313
CERCLA RQ	100 lb Tetrachloroethylene
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Delayed (chronic) health hazard	

Carbon Dioxide, Liquefied, Under Pressure (124-38-9)			
SARA Section 311/312 Hazard Classes Sudden release of pressure hazard			
	Immediate (acute) health hazard		

15.2. International regulations

CANADA

PETRA BRAKE CLEANER 15 OZ.		
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	
Tetrachloroethylene (127-18-4)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	

EU-Regulations

No additional information available

14/12/2016 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40 N; R51/53

Full text of R-phrases: see section 16

15.2.2. National regulations

Tetrachloroethylene (127-18-4)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

PETRA BRAKE CLEANER 15 OZ.	
U.S California - Proposition 65 - Carcinogens List	Yes
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	Not for sale in California or New Jersey U.S Pennsylvania - RTK (Right to Know) List U.S California - Proposition 65

Tetrachloroethylene (127-18-4)

Totadomorocaryione (127 1	σ τ <i>j</i>			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	

Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

Tetrachloroethylene (127-18-4)

State or local regulations

U.S. - California - Proposition 65

Not for sale in California or New Jersey

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Massachusetts - Right To Know List

U.S. - Rhode Island - Hazardous Substance List

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : None

Full text of H-phrases:

	H280	Contains gas under pressure; may explode if heated
	H320	Causes eye irritation
	H332	Harmful if inhaled
	H350	May cause cancer
	H411	Toxic to aquatic life with long lasting effects


NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



14/12/2016 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard
Physical : 1 Slight Hazard

Personal Protection : B

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

14/12/2016 EN (English US) 9/9