

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 09/05/2018 Supersedes:06/21/2016 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

: Mixture Product form

: PETRA FOAMING ENGINE DEGREASER 10 OZ. Trade name

Product code : 9D407

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Degreaser

Details of the supplier of the safety data sheet

Petra Oil Company 11085 Regency Green Dr. Cypress, TX 77429 T 713-856-5700

Emergency telephone number

Emergency number : CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Compressed gas H280 Skin Irrit. 2 H315 Eye Irrit. 2B H320

Full text of H statements: see section 16

2.2. **Label elements**

GHS-US labeling

Hazard pictograms (GHS-US)





GHS04

GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) H280 - Contains gas under pressure; may explode if heated

H315 - Causes skin irritation H320 - Causes eye irritation

Precautionary statements (GHS-US) : P264 - Wash affected areas thoroughly after handling

P280 - Wear protective gloves, protective clothing, eye protection, face protection

P302+P352 - If on skin: Wash with plenty of soap and water

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P321 - Specific treatment: See section 4.1 on SDS

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P410+P403 - Protect from sunlight. Store in a well-ventilated place

Other hazards

Other hazards not contributing to the classification

: Contains gas under pressure; may explode if heated. None under normal conditions.

Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

Substances

Not applicable

Mixtures

Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	85 - 95	Not classified
Petroleum Gases, Liquefied, Sweetened	(CAS No) 68476-86-8	1 - 5	Flam. Gas 1, H220 Compressed gas, H280

25/10/2018 EN (English US) 1/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
2-Butoxyethanol	(CAS No) 111-76-2	1 - 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Tergitol NP-9	(CAS No) 127087-87-0	< 1	Not classified
Nonlyphenol Ethoxylate	(CAS No) 127087-87-0	< 1	Not classified
Ammonium Hydroxide, Aqueous Solution, Conc=25%	(CAS No) 1336-21-6	< 1	Skin Corr. 1B, H314 Aquatic Acute 1, H400
Sodium Hydroxide, Conc=50%, Aqueous Solution	(CAS No) 1310-73-2	<1	Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401
Polyethylene Glycol 200-600	(CAS No) 25322-68-3	<= 0.0288	Not classified
Nonyl Nonoxynol-5	(CAS No) 9014-93-1	<= 0.0192	Not classified
1,4-Dioxane	(CAS No) 123-91-1		Flam. Liq. 2, H225 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335
Ethylene Oxide	(CAS No) 75-21-8		Not classified

The exact percentage is a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause irritation or asthma-like symptoms.

Symptoms/injuries after skin contact : Itching. Red skin. Skin rash/inflammation. Causes skin irritation.

Symptoms/injuries after eye contact : Irritation of the eye tissue. Redness of the eye tissue. Inflammation/damage of the eye tissue.

Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : NFPA Aerosol Level 1.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

Emergency procedures : Evacuate unnecessary personnel.

25/10/2018 EN (English US) 2/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill. Contain released product, pump into suitable containers. Plug the leak,

cut off the supply.

Methods for cleaning up : Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Pressurized container: Do not pierce or burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor

Hygiene measures

Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always wash hands after handling the product. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash affected areas thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off immediately all contaminated clothing and wash it before reuse. Observe normal hygiene standards. Keep container tightly closed. Observe strict hygiene. Observe very strict hygiene - avoid contact. Reduce/avoid exposure and/or contact. Avoid prolonged and repeated contact with skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with

applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.
Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

Follow Label Directions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Petroleum Gases, Liquefied, Sweetened (68476-86-8)		
USA ACGIH	ACGIH TWA (ppm)	1000 ppm Listed under Aliphatic hydrocarbon gases alkane C1-C4
USA OSHA	OSHA PEL (TWA) (mg/m³)	1800 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
2-Butoxyethanol (111-76-2)		
USA ACGIH	ACGIH TWA (mg/m³)	97 mg/m³
USA ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)
USA OSHA	OSHA PEL (TWA) (mg/m³)	240 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm
Ammonium Hydroxide, Aqueous Solution, Conc=25% (1336-21-6)		
USA ACGIH	ACGIH TWA (ppm)	24 ppm
USA ACGIH	ACGIH STEL (ppm)	35 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm
1,4-Dioxane (123-91-1)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm

25/10/2018 EN (English US) 3/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylene Oxide (75-21-8)		
USA ACGIH	ACGIH TWA (ppm)	1 ppm
9.2 Evpocure controls	•	

8.2. Exposure controls

Appropriate engineering controls : Local exhaust venilation, vent hoods . Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.



Materials for protective clothing : GIVE EXCELLENT RESISTANCE:

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Environmental exposure controls : Avoid release to the environment.

Consumer exposure controls : Avoid contact during pregnancy/while nursing.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas
Appearance : Liquid.
Color : Milky.

Odor : Mild . Characteristic.
Odor threshold : No data available

pH : 11

Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available : No data available Freezing point : -31.1 °C (Propellant) Boiling point -128.9 °C (Propellant) Flash point Auto-ignition temperature : 237.8 °C (Propellant) Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapor pressure Relative vapor density at 20 °C : No data available

Relative density : 0.99

Solubility : Soluble in water. : No data available Log Pow Log Kow : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available : No data available Oxidizing properties : No data available **Explosion limits**

9.2. Other information

VOC content : < 8 %

Gas group : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

25/10/2018 EN (English US) 4/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

Incompatible materials

Strong acids. Strong bases.

Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects

A auta taviait

Acute toxicity	: Not classified
2-Butoxyethanol (111-76-2)	
LD50 oral rat	1300 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg (435 mg/kg bodyweight; Rabbit; Rabbit; Experimental value,435 mg/kg bodyweight; Rabbit; Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence
Polyethylene Glycol 200-600 (25322-6	8-3)
LD50 oral rat	> 15000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit, Dermal)
Tergitol NP-9 (127087-87-0)	
LD50 oral rat	16000 mg/kg (Rat, Oral)
LD50 dermal rabbit	4490 mg/kg (Rabbit, Dermal)
ATE CLP (oral)	16000 mg/kg body weight
ATE CLP (dermal)	4490 mg/kg body weight
1,4-Dioxane (123-91-1)	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rabbit	7600 mg/kg (Rabbit, Dermal)
LC50 inhalation rat (mg/l)	51 mg/l (4 h, Rat, Inhalation)
LC50 inhalation rat (ppm)	14250 ppm (4 h, Rat, Inhalation)
ATE CLP (dermal)	7600 mg/kg body weight
ATE CLP (vapors)	51 mg/l/4h
ATE CLP (dust, mist)	51 mg/l/4h
Ethylene Oxide (75-21-8)	
LD50 oral rat	330 mg/kg body weight (Other, Rat, Male, Experimental value, Oral)
LC50 inhalation rat (mg/l)	2.63 mg/l air (Other, 4 h, Rat, Male, Experimental value, Inhalation)
ATE CLP (oral)	330 mg/kg body weight
ATE CLP (gases)	700 ppmV/4h
ATE CLP (vapors)	3 mg/l/4h
ATE CLP (dust, mist)	0.5 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
	pH: 11
Serious eye damage/irritation	: Causes eye irritation.
	pH: 11
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

2-Butoxyetnanoi (111-76-2)	
IARC group	3

2 Dutawathanal (444 70 2)

: Not classified Reproductive toxicity Specific target organ toxicity - single exposure : Not classified : Not classified Specific target organ toxicity - repeated exposure

: Not classified Aspiration hazard

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

25/10/2018 EN (English US) 5/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation : May cause irritation or asthma-like symptoms.

Symptoms/injuries after skin contact : Itching. Red skin. Skin rash/inflammation. Causes skin irritation.

Symptoms/injuries after eye contact Irritation of the eye tissue. Redness of the eye tissue. Inflammation/damage of the eye tissue.

Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways.

12.1. **Toxicity**

Polyethylene Glycol 200-600 (25322-68-3)		
LC50 fish 1	> 5000 mg/l (24 h, Carassius auratus)	
1,4-Dioxane (123-91-1)		
LC50 fish 1	13000 mg/l (96 h, Pimephales promelas, GLP)	
EC50 Daphnia 1	8450 mg/l (24 h, Daphnia magna)	
Ethylene Oxide (75-21-8)		
LC50 fish 1	84 mg/l (EPA 660/3 - 75/009, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value)	

12.2. Persistence and degradability

PETRA FOAMING	ENGINE DE	GREASER 1	0 OZ.
----------------------	-----------	-----------	-------

Persistence and degradability Not established.

Petroleum Gases, Liquefied, Sweetened (68476-86-8)

Persistence and degradability	Not established.
-------------------------------	------------------

Z-Butoxyctilatior (111-70-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O ₂ /g substance
Chemical oxygen demand (COD)	2.2 g O ₂ /g substance
ThOD	2.305 g O ₂ /g substance
BOD (% of ThOD)	0.31

Polyethylene Glycol 200-600 (25322-68-3)

Persistence and degradability Biodegradability	in water: no data available. Not established.
--	---

Nonyl Nonoxynol-5 (9014-93-1)

Persistence and degradability Not established.

Nonlyphenol Ethoxylate (127087-87-0)

Persistence and degradability Not established.

Ammonium Hydroxide, Aqueous Solution, Conc=25% (1336-21-6)

Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the
•	components available. Ozonation in the air. Not established.

Water (7732-18-5)

Persistence and degradability Not established.

Tergitol NP-9 (127087-87-0)

Persistence and degradability Biodegradable in water.

1,4-Dioxane (123-91-1)

Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Photooxidation in the air. Not established.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
ThOD	1.8 g O ₂ /g substance
BOD (% of ThOD)	0

Ethylene Oxide (75-21-8)

Laryione Grade (10 11 0)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.06 g O ₂ /g substance
Chemical oxygen demand (COD)	1.74 g O ₂ /g substance
ThOD	2.02 g O ₂ /g substance

12.3. **Bioaccumulative potential**

PETRA FOAMING ENGINE DEGREASER 10 OZ.	
Bioaccumulative potential	Not established.
Potroloum Cases Liquidied Supertoned (69476-96-9)	

Not established. Bioaccumulative potential

25/10/2018 EN (English US) 6/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Experimental value; BASF test; 25 °C) otential for bioaccumulation (Log Kow < 4). cumulation: not applicable. Not established. ctablished. otalished. otalished. otalished. otalished. otalished. otalished. otalished. otalished. otalished. otential for bioaccumulation (molecular mass >=700 g/mol). otential for bioaccumulation: 6 weeks) Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
stablished. tablished. tential for bioaccumulation (molecular mass >=700 g/mol). T (Cyprinus carpio, Test duration: 6 weeks) Experimental value) tential for bioaccumulation (BCF < 500). Not established.		
stablished. tablished. teleptinal for bioaccumulation (molecular mass >=700 g/mol). 7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) teleptinal for bioaccumulation (BCF < 500). Not established.		
tablished. teleptinal for bioaccumulation (molecular mass >=700 g/mol). 7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) teleptinal for bioaccumulation (BCF < 500). Not established.		
tablished. teleptinal for bioaccumulation (molecular mass >=700 g/mol). 7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) teleptinal for bioaccumulation (BCF < 500). Not established.		
tablished. b (1336-21-6) b accumulative. Not established. ctablished. ctential for bioaccumulation (molecular mass >=700 g/mol). 7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) ctential for bioaccumulation (BCF < 500). Not established.		
tablished. b (1336-21-6) b accumulative. Not established. ctablished. b tential for bioaccumulation (molecular mass >=700 g/mol). ctablished. ctablished. b tential for bioaccumulation (molecular mass >=700 g/mol). ctablished. ctablished. b tential for bioaccumulation (BCF < 500). Not established.		
b (1336-21-6) b accumulative. Not established. stablished. otential for bioaccumulation (molecular mass >=700 g/mol). 7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
b (1336-21-6) b accumulative. Not established. stablished. otential for bioaccumulation (molecular mass >=700 g/mol). 7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
chaccumulative. Not established. Intablished. Interpretation (molecular mass >=700 g/mol). Interpretation: 6 weeks) Interpretation: 6 weeks)		
chaccumulative. Not established. Intablished. Interpretation of the stablished of the stablished.		
otential for bioaccumulation (molecular mass >=700 g/mol). 7. (Cyprinus carpio, Test duration: 6 weeks) Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
otential for bioaccumulation (molecular mass >=700 g/mol). 7. (Cyprinus carpio, Test duration: 6 weeks) Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
.7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
.7 (Cyprinus carpio, Test duration: 6 weeks) Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
Experimental value) otential for bioaccumulation (BCF < 500). Not established.		
Pisces, Literature, QSAR)		
est data)		
paccumulative.		
12.4. Mobility in soil		
N/m (25 °C)		
Surface tension 0.027 N/m (25 °C) Ammonium Hydroxide, Aqueous Solution, Conc=25% (1336-21-6)		
st)data on mobility of the components available.		
Ecology - soil No (test)data on mobility of the components available. Sodium Hydroxide, Conc=50%, Aqueous Solution (1310-73-2)		
st)data on mobility of the components available.		
Ecology - soil No (test)data on mobility of the components available. Tergitol NP-9 (127087-87-0)		
st)data on mobility of the substance available.		
Ecology - soil No (test)data on mobility of the substance available. 1,4-Dioxane (123-91-1)		
N/m (20 °C)		
N/m (0 °C)		
N/m (0 °C) st)data on mobility of the substance available.		
3		

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to appropriate waste disposal facility, in accordance with local, regional,

national, international regulations. . Avoid release to the environment.

Ecology - waste materials : Avoid release to the environment.

25/10/2018 EN (English US) 7/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

US DOT (ground): UN1950, Aerosols, 2.2, Limited Quantity ICAO/IATA (air): UN1950, Aerosols, 2.2, Limited Quantity IMO/IMDG (water): UN1950, Aerosols, 2.2, Limited Quantity

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Aerosols

Non-flammable, (each not exceeding 1 L capacity)

Class (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115

Hazard labels (DOT) : 2.2 - Non-flammable gas



DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : None
DOT Packaging Bulk (49 CFR 173.xxx) : None

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

PETRA FOAMING ENGINE DEGREASER 10 OZ.	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Sudden release of pressure hazard

Petroleum Gases, Liquefied, Sweetened (68476-86-8)

· · · · · · · · · · · · · · · · · · ·	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Fire hazard
	Sudden release of pressure hazard

2-Butoxyethanol (111-76-2)

usted on the United States TSCA (Toxic Substances Control Act) inventory subject to reporting requirements of United States SARA Section 313	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard Fire hazard

Nonlyphenol Ethoxylate (127087-87-0)

Subject to reporting requirements of United States SARA Section 313	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	5 % Glycol Ethers

Sodium Hydroxide, Conc=50%, Aqueous Solution (1310-73-2)

Listed on the United States SARA Section 302

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

25/10/2018 EN (English US) 8/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Hydroxide, Conc=50%, Aqueous Solution (1310-73-2)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Tergitol NP-9 (127087-87-0)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

CANADA

CANADA	
PETRA FOAMING ENGINE DEGREASER 10 OZ.	
WHMIS Classification	Class A - Compressed Gas
2-Butoxyethanol (111-76-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Nonlyphenol Ethoxylate (127087-87-0)	
Sodium Hydroxide, Conc=50%, Aqueous Solution (1310-73-2)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class E - Corrosive Material

EU-Regulations

2-Butoxyethanol (111-76-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Nonlyphenol Ethoxylate (127087-87-0)

Sodium Hydroxide, Conc=50%, Aqueous Solution (1310-73-2)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45 Muta.Cat.2; R46 F+; R12 Xi; R36/38

Full text of R-phrases: see section 16

15.2.2. National regulations

2-Butoxyethanol (111-76-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Nonlyphenol Ethoxylate (127087-87-0)

Sodium Hydroxide, Conc=50%, Aqueous Solution (1310-73-2)

15.3. US State regulations

-	
PETRA FOAMING ENGINE DEGREASER 10 OZ.	
U.S California - Proposition 65 - Carcinogens List	Yes
U.S California - Proposition 65 - Developmental Toxicity	Yes
U.S California - Proposition 65 - Reproductive Toxicity - Female	Yes
U.S California - Proposition 65 - Reproductive Toxicity - Male	Yes
State or local regulations	U.S California - Proposition 65

Petroleum Gases, Liquefied, Sweetened (68476-86-8)					
U.S California - Proposition 65 -	U.S California - Proposition 65 -	U.S California - Proposition 65 -	U.S California - Proposition 65 -	Non-significant risk level (NSRL)	
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	(IVOILE)	
		Female	Male		
No	No	No	No		

25/10/2018 EN (English US) 9/12

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	,	,		
2-Butoxyethanol (111-76-	2)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
		INO	110	
Polyethylene Glycol 200-		T	1 2	
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Nonyl Nonoxynol-5 (9014	-93-1)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
No	No	No	No	
Nonlyphenol Ethoxylate (127087-87-0)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
No	No	No	No	
Ammonium Hydroxide, A	queous Solution, Conc=25%	(1336-21-6)		
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
No	No	No	No	
Water (7732-18-5)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Sodium Hydroxide Conc	=50%, Aqueous Solution (131)	n_73_2)		
U.S California -	LLS - California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
No	No	No	No	
Tergitol NP-9 (127087-87-	0)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	Yes	Yes	Yes	
1,4-Dioxane (123-91-1)				
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
Yes	No	No	No	
Ethylene Oxide (75-21-8)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	Yes	Yes	Yes	
	<u>l</u>	1	1	L

25/10/2018 EN (English US) 10/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Petroleum Gases, Liquefied, Sweetened (68476-86-8)

State or local regulations

New Jersey Right-to-Know Minnesota Right-to-Know Rhode Island Right to Know

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Massachusetts - Right To Know List

2-Butoxyethanol (111-76-2)

State or local regulations

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - New Jersey - Right to Know Hazardous Substance List

Sodium Hydroxide, Conc=50%, Aqueous Solution (1310-73-2)

State or local regulations

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

Rhode Island Right to Know

Tergitol NP-9 (127087-87-0)

State or local regulations

U.S. - California - Proposition 65

1,4-Dioxane (123-91-1)

State or local regulations

U.S. - California - Proposition 65

Ethylene Oxide (75-21-8)

State or local regulations

U.S. - California - Proposition 65

SECTION 16: Other information

Indication of changes : Revision - See : *.

Other information : None.

Full text of H-phrases:

At 01 11 prila000.			
H220	Extremely flammable gas		
H225	Highly flammable liquid and vapor		
H227	Combustible liquid		
H280	Contains gas under pressure; may explode if heated		
H302	Harmful if swallowed		
H312	Harmful in contact with skin		
H314	Causes severe skin burns and eye damage		
H315	Causes skin irritation		
H318	Causes serious eye damage		
H319	Causes serious eye irritation		
H320	Causes eye irritation		
H332	Harmful if inhaled		
H335	May cause respiratory irritation		
H351	Suspected of causing cancer		
H400	Very toxic to aquatic life		
H401	Toxic to aquatic life		

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



25/10/2018 EN (English US) 11/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard Physical : 1 Slight Hazard

Personal Protection : B

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this SDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THEIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

25/10/2018 EN (English US) 12/12