

1. Identification

Safety Data Sheet

Petra Shine 9D602

Product Name:	Petra Shine	
Product Use:	Automotive reconditioning product	
Restrictions on Use:	For automotive use only	
Manufactured for:	Petra Oil Company 11085 Regency Green Drive Cypress, TX 774	429
Phone Number:	(713) 856-5700	
Fax Number:	(713) 856-5712	
Emergency Phone:	CHEMTREC 1-800-424-9300 For International Calls: (703) 527-3887	
2. Hazard(s) identification		
Physical hazards	Flammable aerosols	Category 1
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Extremely flammable aerosol.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot s flame or other ignition source. Pressurized con	surfaces No smoking. Do not spray on an open tainer: Do not pierce or burn, even after use.
Response	Wash hands after handling.	
Storage	Protect from sunlight. Do not expose to temper	ratures exceeding 50°C/122°F.
Disposal	Dispose of waste and residues in accordance	with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-Butoxyethanol		111-76-2	1 - 2.5
Butane		106-97-8	1 - 2.5
Ethyl Alcohol		64-17-5	1 - 2.5
Polydimethylsiloxane		63148-62-9	1 - 2.5
Propane		74-98-6	1 - 2.5
Other components below reportable le	evels		90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.
General fire hazards	Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not spray on a naked flame or any other incandescent material. Use only in well-ventilated areas. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not re-use empty containers. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)			
Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	PEL	240 mg/m3	

US. OSHA Table Z-1 Limits Components	Тур	•		lue
			50	ppm
Ethyl Alcohol (CAS 64-17-5)) PEL	<u>.</u>	19	00 mg/m3
			10	00 ppm
Propane (CAS 74-98-6)	PEL			00 mg/m3
		-		00 ppm
US. ACGIH Threshold Lim	it Values			
Components	Тур	e	Va	lue
2-Butoxyethanol (CAS	TW	٩	20	ppm
111-76-2)	0.75	-,	10	
Butane (CAS 106-97-8)	STE			00 ppm
Ethyl Alcohol (CAS 64-17-5)			10	00 ppm
US. NIOSH: Pocket Guide			\/-	
Components	Тур	e	va	lue
2-Butoxyethanol (CAS 111-76-2)	TW	4		mg/m3
Butana (CAS 106 07 9)	TW	^		pm
Butane (CAS 106-97-8)	1 VV/	4		00 mg/m3
) ppm
Ethyl Alcohol (CAS 64-17-5)) TW/	4		00 mg/m3
				00 ppm
Propane (CAS 74-98-6)	TW	4		00 mg/m3
			10	00 ppm
ogical limit values				
ACGIH Biological Exposu Components	Value	Determinant	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
* - For sampling details, plea	ase see the source do			
osure guidelines		Sument.		
-				
US - California OELs: Skin	U			
2-Butoxyethanol (CAS ⁻ US - Minnesota Haz Subs:	Skin designation ap	plies	e absorbed throu	-
2-Butoxyethanol (CAS	111-76-2)	Ckin d	esignation applie	6
	,	SKILL	coignation applic	5.
	designation			
2-Butoxyethanol (CAS	designation 111-76-2)	Can b	e absorbed throu	
2-Butoxyethanol (CAS US NIOSH Pocket Guide to	n designation 111-76-2) o Chemical Hazards:	Can b Skin designation	e absorbed throu	gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS	n designation 111-76-2) o Chemical Hazards: 111-76-2)	Can b Skin designation Can b	e absorbed throu e absorbed throu	gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminant	Can b Skin designation Can b ts (29 CFR 1910.10	e absorbed throu e absorbed throu	gh the skin. gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminan 111-76-2)	Can b Skin designation Can b ts (29 CFR 1910.10	e absorbed throu e absorbed throu 00) e absorbed throu	gh the skin. gh the skin.
US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering trols	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminant 111-76-2) Explosion-proof ge	Can b Skin designation Can b ts (29 CFR 1910.10 Can b eneral and local exh	e absorbed throu e absorbed throu 00) e absorbed throu aust ventilation.	gh the skin. gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering trols	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminant 111-76-2) Explosion-proof ge s, such as personal p	Can b Skin designation Can b ts (29 CFR 1910.10 Can b eneral and local exh	e absorbed throu e absorbed throu 00) e absorbed throu aust ventilation.	gh the skin. gh the skin. gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering trols	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminant 111-76-2) Explosion-proof ge s, such as personal p	Can b Skin designation Can b ts (29 CFR 1910.10 Can b eneral and local exh protective equipment safety glasses with	e absorbed throu e absorbed throu 00) e absorbed throu aust ventilation.	gh the skin. gh the skin. gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering trols vidual protection measures Eye/face protection Hand protection	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminant 111-76-2) Explosion-proof ge s, such as personal p If contact is likely,	Can b Skin designation Can b ts (29 CFR 1910.10 Can b eneral and local exh protective equipment safety glasses with	e absorbed throu e absorbed throu 00) e absorbed throu aust ventilation.	gh the skin. gh the skin. gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering trols vidual protection measures Eye/face protection	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminant 111-76-2) Explosion-proof ge s, such as personal p If contact is likely, Wear protective glo	Can b Skin designation Can b ts (29 CFR 1910.10 Can b eneral and local exh protective equipme safety glasses with oves.	e absorbed throu e absorbed throu 00) e absorbed throu aust ventilation.	gh the skin. gh the skin. gh the skin.
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering trols vidual protection measures Eye/face protection Hand protection Skin protection	n designation 111-76-2) o Chemical Hazards: 111-76-2) s for Air Contaminant 111-76-2) Explosion-proof ge s, such as personal p If contact is likely, Wear protective gle Wear suitable prot If engineering cont limits (where applie	Can b Skin designation Can b ts (29 CFR 1910.10 Can b eneral and local exh protective equipme safety glasses with oves. ective clothing. trols do not maintair cable) or to an acce	e absorbed throu e absorbed throu o0) e absorbed throu aust ventilation. ent side shields are n a airborne concer ptable level (in co	gh the skin. gh the skin. gh the skin. ecommended. trations below recommended exposure
2-Butoxyethanol (CAS US NIOSH Pocket Guide to 2-Butoxyethanol (CAS US. OSHA Table Z-1 Limits 2-Butoxyethanol (CAS propriate engineering trols vidual protection measures Eye/face protection Hand protection Skin protection Other	 designation 111-76-2) Chemical Hazards: 111-76-2) for Air Contaminant 111-76-2) Explosion-proof get s, such as personal personal	Can b Skin designation Can b ts (29 CFR 1910.10 Can b eneral and local exh protective equipme safety glasses with oves. ective clothing. trols do not maintair	e absorbed throu e absorbed throu oo) e absorbed throu aust ventilation. ent side shields are n n airborne concer ptable level (in co ator must be wor	gh the skin. gh the skin. gh the skin. ecommended. trations below recommended exposure puntries where exposure limits have not n.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Gas.
Physical state Form	Aerosol.
Color	off-white
Odor	Citrus
Odor threshold	Not available.
pH	9.5 - 10.5
Melting point/freezing point	Not available.
Initial boiling point and boiling	212 °F (100 °C) estimated
range	
Flash point	-156.0 °F (-104.4 °C) Propellant estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	67 - 77 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.99 - 1 estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials. Fire or intense heat may cause violent rupture of packages.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition	No hazardous decomposition products are known.

11. Toxicological information

products

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Components 2-Butoxyethanol (CAS 111-76-2) Acute Dermal LD50 Inhalation LC50	Species Guinea pig Rabbit Rat	Test Results 230 ml/kg, 24 Hours 7.3 ml/kg, 4 Days 450 ml/kg, 24 Hours 435 mg/kg, 24 Hours 0.63 ml/kg > 2000 mg/kg, 24 Hours
Acute Dermal LD50 Inhalation	Rabbit Rat	7.3 ml/kg, 4 Days 450 ml/kg, 24 Hours 435 mg/kg, 24 Hours 0.63 ml/kg
Dermal LD50 Inhalation	Rabbit Rat	7.3 ml/kg, 4 Days 450 ml/kg, 24 Hours 435 mg/kg, 24 Hours 0.63 ml/kg
LD50 Inhalation	Rabbit Rat	7.3 ml/kg, 4 Days 450 ml/kg, 24 Hours 435 mg/kg, 24 Hours 0.63 ml/kg
Inhalation	Rabbit Rat	7.3 ml/kg, 4 Days 450 ml/kg, 24 Hours 435 mg/kg, 24 Hours 0.63 ml/kg
	Rat	450 ml/kg, 24 Hours 435 mg/kg, 24 Hours 0.63 ml/kg
	Rat	435 mg/kg, 24 Hours 0.63 ml/kg
		0.63 ml/kg
		-
		> 2000 mg/kg, 24 Hours
LC50		
	Rabbit	400 ppm, 7 Hours
	Rat	450 ppm, 4 Hours
Oral		
LD100	Rabbit	695 mg/kg
LD50	Dog	> 695 mg/kg
	Guinea pig	1200 mg/kg
	Rat	530 - 2800 mg/kg
Sutane (CAS 106-97-8)		
Acute		
Inhalation LC50	Mouse	1227 mg/L 120 Minuton
LCSU	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
thyl Alcohol (CAS 64-17-5)		
Acute Inhalation		
LC50	Cat	85.41 mg/l, 4.5 Hours
		43.68 mg/l, 6 Hours
	Mouse	> 60000 ppm
	Wodoc	79.43 mg/l, 134 Minutes
	Rat	> 115.9 mg/l, 4 Hours
		51.3 mg/l, 6 Hours
Oral		51.5 mg/l, 6 Hours
LD50	Monkey	6000 mg/kg
LDOO	Mouse	10500 ml/kg
	Rat	1187 - 2769 mg/kg
	Nat	
		7800 ml/kg
Propane (CAS 74-98-6) Acute		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
	-	52 %, 120 Minutes

Components	Species	Test Results
	Rat	1355 mg/l
		658 mg/l/4h
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensit	ization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
2-Butoxyethanol (CAS 11 OSHA Specifically Regulate Not listed.	1-76-2) 3 Not classifiable d Substances (29 CFR 1910.1001-1050)	as to carcinogenicity to humans.
Reproductive toxicity	This product is not expected to cause reproductiv	e or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
INSTANT DETAIL CLEANE	R & POLISH (CAS	S Mixture)	
Aquatic			
Crustacea	EC50	Daphnia	14940.9736 mg/L, 48 Hours estimated
Fish	LC50	Fish	1051.5981 mg/l, 96 hours estimated
Acute			
Algae	IC50	Algae	2033.7108 mg/L, 72 Hours estimated
Components		Species	Test Results
2-Butoxyethanol (CAS 111-7	76-2)		
Aquatic			
Fish	LC50	Inland silverside (Menidia beryllina)	1250 mg/l, 96 hours
Ethyl Alcohol (CAS 64-17-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7700 - 11200 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100.1 mg/l, 96 hours
Polydimethylsiloxane (CAS	63148-62-9)		
Aquatic			
Fish	LC50	Channel catfish (Ictalurus punctatus)	2.36 - 4.15 mg/l, 96 hours
sistence and degradability	Not available.		
accumulative potential	Not available.		
Partition coefficient n-octa	nol / water (log l	(ow)	
2-Butoxyethanol		0.83	
Butane		2.89 -0.31	
Ethyl Alcohol Propane		2.36	
bility in soil	Not available.		
er adverse effects	Not available.		

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

ΙΑΤΑ

UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT



15. Regulatory information **US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) Immediate Hazard - No Hazard categories Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. Massachusetts RTK - Substance List

2-Butoxyethanol (CAS 111-76-2) Butane (CAS 106-97-8) Ethyl Alcohol (CAS 64-17-5) Propane (CAS 74-98-6)

US. New Jersey Worker and Community Right-to-Know Act

2-Butoxyethanol (CAS 111-76-2) Butane (CAS 106-97-8) Ethyl Alcohol (CAS 64-17-5) Propane (CAS 74-98-6)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Butoxyethanol (CAS 111-76-2) Butane (CAS 106-97-8) Ethyl Alcohol (CAS 64-17-5) Propane (CAS 74-98-6)

US. Rhode Island RTK

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Diethanolamine (CAS 111-42-2) Listed: June 22, 2012

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-31-2015
Version #	01
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.